# **SAFETY DATA SHEET**

according to Regulation (EC) No. 453/2010

Version 6.0 Revision Date 09.07.2015

Print Date 16.06.2016

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Ethanol

Product Number : 46139

Brand : Sigma-Aldrich Index-No. : 603-002-00-5

REACH No. : 01-2119457610-43-XXXX

CAS-No. : 64-17-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Chemie BV

Stationsplein 4

3331 LL ZWIJNDRECHT

**NETHERLANDS** 

Telephone : +31 78-620-5411 Fax : +31 78-620-5421 E-mail address : eurtechserv@sial.com

1.4 Emergency telephone number

Emergency Phone # 112

### **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

## Classification according to Regulation (EC) No 1272/2008

Flammable liquids (Category 2), H225 Eye irritation (Category 2), H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 Label elements

### Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal word Danger

Hazard statement(s)

H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation.

Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P280 Wear eye protection/ face protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P403 + P235 Store in a well-ventilated place. Keep cool.

Supplemental Hazard

Statements

none

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Synonyms : Ethyl alcohol

Formula : C<sub>2</sub>H<sub>6</sub>O

Molecular weight : 46,07 g/mol

CAS-No. : 64-17-5

EC-No. : 200-578-6

Index-No. : 603-002-00-5

Registration number : 01-2119457610-43-XXXX

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component		Classification	Concentration
Ethanol			
CAS-No.	64-17-5	Flam. Liq. 2; Eye Irrit. 2; H225,	<= 100 %
EC-No.	200-578-6	H319	
Index-No.	603-002-00-5	Concentration limits:	
		>= 50 %: Eye Irrit. 2A, H319;	

For the full text of the H-Statements mentioned in this Section, see Section 16.

## **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

## **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

## In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

## 4.3 Indication of any immediate medical attention and special treatment needed

No data available

Sigma-Aldrich - 46139 Page 2 of 8

## **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

## Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

## 5.2 Special hazards arising from the substance or mixture

Carbon oxides

## 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

Use water spray to cool unopened containers.

### SECTION 6: Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

## 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

### 6.4 Reference to other sections

For disposal see section 13.

## **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Hygroscopic.

Storage class (TRGS 510): Flammable liquids

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

## Components with workplace control parameters

## **Derived No Effect Level (DNEL)**

Derived NO Lifect Level (DNLL)				
Application Area	Exposure routes	Health effect	Value	
Workers	Inhalation	Long-term systemic effects	950 mg/m3	
Workers	Skin contact	Long-term systemic effects	343mg/kg BW/d	
Workers	Ingestion	Long-term systemic effects	343mg/kg BW/d	
Workers	Inhalation	Acute local effects	1900 mg/m3	

Sigma-Aldrich - 46139 Page 3 of 8

**Predicted No Effect Concentration (PNEC)** 

Compartment	Value
Soil	0,63 mg/kg
Marine water	0,79 mg/l
Fresh water	0,96 mg/l
Fresh water sediment	3,6 mg/l
Sewage treatment plant	580 mg/l

### 8.2 Exposure controls

## **Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## Personal protective equipment

## Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

## Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact

Material: butyl-rubber

Minimum layer thickness: 0,3 mm Break through time: 480 min

Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,2 mm

Break through time: 38 min

Material tested:Dermatril® P (KCL 743 / Aldrich Z677388, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de,

test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### **Body Protection**

impervious clothing, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Sigma-Aldrich - 46139 Page 4 of 8

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid, clear

Colour: colourless

b) Odour No data available

c) Odour Threshold No data available

d) pH No data available

e) Melting point/freezing

point

-143,99 °C

f) Initial boiling point and

boiling range

78,0 - 80,0 °C

g) Flash pointh) Evaporation rate14,0 °C - closed cupNo data available

i) Flammability (solid, gas) No data available

j) Upper/lower Upper explosion limit: 19 %(V) flammability or Lower explosion limit: 3,3 %(V)

explosive limits

k) Vapour pressure 59,5 hPa at 20,0 °C
 l) Vapour density No data available
 m) Relative density 0,7974 g/cm3

n) Water solubility completely soluble

o) Partition coefficient: n-

octanol/water

log Pow: -0,349 at 24 °C

p) Auto-ignition 363,0 °C

temperature

q) Decomposition temperature

No data available

r) Viscosity No data available
 s) Explosive properties No data available
 t) Oxidizing properties No data available

## 9.2 Other safety information

No data available

### **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

## 10.3 Possibility of hazardous reactions

No data available

## 10.4 Conditions to avoid

Heat, flames and sparks.

### 10.5 Incompatible materials

Alkali metals, Oxidizing agents, Peroxides

Sigma-Aldrich - 46139 Page 5 of 8

## 10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

## **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

## **Acute toxicity**

LD50 Oral - Rat - 10.470 mg/kg

LC50 Inhalation - Rat - 4 h - 30.000 mg/l

LD50 Dermal - Rabbit - 15.800 mg/kg

### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 24 h (OECD Test Guideline 404)

### Serious eye damage/eye irritation

Eves - Rabbit

Result: Moderate eye irritation (OECD Test Guideline 405)

### Respiratory or skin sensitisation

No data available

## Germ cell mutagenicity

No data available

## Carcinogenicity

Carcinogenicity - Mouse - Oral

Tumorigenic:Equivocal tumorigenic agent by RTECS criteria. Liver:Tumors. Blood:Lymphomas including Hodgkin's disease.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

## Reproductive toxicity

Reproductive toxicity - Human - female - Oral

Effects on Newborn: Apgar score (human only). Effects on Newborn: Other neonatal measures or effects.

Effects on Newborn: Drug dependence.

## Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure

No data available

### **Aspiration hazard**

No data available

## **Additional Information**

RTECS: KQ6300000

Central nervous system depression, narcosis, Damage to the heart., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 14.200 mg/l - 96 h

Toxicity to daphnia and LC50 - Ceriodaphnia dubia (water flea) - 5.012 mg/l - 48 h

other aquatic

Sigma-Aldrich - 46139 Page 6 of 8

invertebrates

NOEC - Daphnia magna (Water flea) - 9,6 mg/l - 9 d

Toxicity to algae EC50 - Chlorella vulgaris (Fresh water algae) - 275 mg/l - 72 h

(OECD Test Guideline 201)

12.2 Persistence and degradability

Biodegradability Result: 95 % - Readily biodegradable

### 12.3 Bioaccumulative potential

Due to the distribution coefficient n-octanol/water, accumulation in organisms is not expected.

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Other adverse effects

No data available

## **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

#### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

## Contaminated packaging

Dispose of as unused product.

## **SECTION 14: Transport information**

## 14.1 UN number

ADR/RID: 1170 IMDG: 1170 IATA: 1170

### 14.2 UN proper shipping name

ADR/RID: ETHANOL IMDG: ETHANOL IATA: Ethanol

14.3 Transport hazard class(es)

ADR/RID: 3 IMDG: 3 IATA: 3

14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

No data available

## **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 453/2010.

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.2 Chemical Safety Assessment

A Chemical Safety Assessment has been carried out for this substance.

Sigma-Aldrich - 46139 Page 7 of 8

## **SECTION 16: Other information**

## Full text of H-Statements referred to under sections 2 and 3.

H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation.

## **Further information**

Copyright 2015 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Sigma-Aldrich - 46139 Page 8 of 8